

**All communications should be addressed to the Editor,
The Journal of Experimental Biology, Department of Zoology,
Downing Street, Cambridge CB2 3EJ, England.**

STYLE. Papers should be as concise as possible, be written in English (spelling as in Oxford English Dictionary), and use S.I. units.

SUBMISSIONS must include two copies of the text, one set of original illustrations and two sets of copy figures.

TEXT (including tables, references and figure legends) must be typewritten, in double-spacing, with numbered pages. The position of the figures and tables should be indicated in the margin. The *title page* must include the address(es) where the work was carried out, a *page heading* of up to 40 characters, and three or more *key words*. Where applicable, the present address and address for correspondence should also be given. A *Summary* must be the first section of the ms, stating as briefly as possible (typically 150–200 words) the results and conclusions of the work. Each *table* must be on a separate page. *Figure legends* must be in a single series at the end of the ms. *References* must be listed alphabetically. The titles of journals should be abbreviated according to the *World List of Scientific Periodicals*, 4th edn (1963), and should be presented as follows:

BRINES, M. L. & GOULD, J. L. (1982). Skylight polarization patterns and animal orientation. *J. exp. Biol.* **96**, 69–91.

MAZIA, D. (1961). Mitosis and physiology of cell division. In *The Cell*, Vol. 3, (eds J. Brachet & A. E. Mirsky), pp. 77–412. New York and London: Academic Press.

Citations in the text are as 'Jones & Smith (1980)' or '(Jones & Smith, 1980)'. The form 'Jones *et al.*' is used after the first citation if there are 3 or 4 authors, and is used throughout where there are 5 or more authors. The form 'Jones (1980a,b)' is used to cite papers by authors with the same name in the same year.

ILLUSTRATIONS should be assigned figure numbers. Photographs should only be used where essential, for example for electron micrographs. Wherever possible, oscillographs should be made suitable for reproduction as line drawings. The cost of colour plates must be defrayed by the author.

Line drawings must be about twice final size. Maximum final size is 200 × 125 mm. Pen drawings should be in black Indian ink on unfolded heavy white paper, good quality tracing paper, or graph paper ruled in pale blue. Oscillographs should have a white background. *Lettering* will be inserted by the printers and should be indicated on the duplicate copies; it may also be indicated on the original either in soft blue pencil, or on a tracing paper overlay.

Photographs should be at final size. Maximum final size is 200 × 140 mm for a single plate, and 200 × 290 mm for a double plate. Photographs should be glossy bromide prints with good definition. They should be gummed on to white card, grouped and numbered as they are to appear (e.g. Fig. 1A, B etc.). *Lettering* will be inserted by the printers and should be indicated on a tracing paper overlay. Magnification should be indicated, when relevant, by a scale line drawn in Indian ink on or beside the illustration.

SHORT COMMUNICATIONS must be original contributions to the literature and not preliminary reports. Methodological papers will only be accepted as *Short Communications*. All above instructions apply except that the communications must not exceed four published pages in length (including illustrations), no *Summary* is required, and line drawings must be at final size.

PROOFSHEETS AND OFFPRINTS. Authors will receive one set of slip proofs for correction and return to the Editor. A page proof will also be sent if the slip proof is marked by the author 'Revise'. An allowance of 50p per sheet of sixteen pages will be made for alteration errors not made by the printers: any excess may be charged to the author. Authors will receive 200 complimentary copies of their papers: additional copies may be purchased at modest cost, and should be ordered when the proofs are returned to the Editor.

The Journal of
Experimental Biology

EDITED BY
J. E. TREHERNE
WITH W. A. FOSTER & P. K. SCHOFIELD

VOLUME 108
1984

THE COMPANY OF BIOLOGISTS LIMITED
CAMBRIDGE

Published by The Company of Biologists Limited, Department of Zoology,
University of Cambridge, Downing Street, Cambridge CB2 3EJ

© The Company of Biologists Limited 1984

*Typeset and Printed by the Pindar Group of Companies, Scarborough,
North Yorkshire.*

CONTENTS

	PAGE
RIBEIRO, J. M. C., ROSSIGNOL, P. A. AND SPIELMAN, A. Role of mosquito saliva in blood vessel location	1
BOWEN, M. F., BOLLENBACHER, W. E. AND GILBERT, L. I. <i>In vitro</i> studies on the role of the brain and prothoracic glands in the pupal diapause of <i>Manduca sexta</i> . .	9
CLAIBORNE, J. B. AND HEISLER, NORBERT. Acid-base regulation and ion transfers in the carp (<i>Cyprinus carpio</i>) during and after exposure to environmental hypercapnia	25
EBINA, YOSHIO AND WIESE, KONRAD. A comparison of neuronal and behavioural thresholds in the displacement-sensitive pathway of the crayfish <i>Procambarus</i> . .	45
RENAUD, J. M. AND STEVENS, E. D. The extent of short-term and long-term compensation to temperature shown by frog and toad sartorius muscle	57
JOSEPHSON, ROBERT K. Contraction dynamics of flight and stridulatory muscles of tettigoniid insects	77
MILLER, MARK W., BENSON, JACK A. AND BERLIND, ALLAN. Excitatory effects of dopamine on the cardiac ganglia of the crabs <i>Portunus sanguinolentus</i> and <i>Podophthalmus vigil</i>	97
DAVID, J. A. AND SATTELLE, D. B. Actions of cholinergic pharmacological agents on the cell body membrane of the fast coxal depressor motoneurone of the cockroach (<i>Periplaneta americana</i>)	119
McFARLANE, IAN D. Nerve nets and conducting systems in sea anemones: two pathways excite tentacle contractions in <i>Calliactis parasitica</i>	137
HOLLEY, M. C. AND SHELTON, G. A. B. Reversal of the direction of mucus-flow on the ciliated pharynx of a sea anemone	151
LONGLEY, ROGER D. Axon surface infolding and axon size can be quantitatively related in gastropod molluscs	163
MARTINAC, BORIS AND MACHEMER, HANS. Effects of varied culturing and experimental temperature on electrical membrane properties in <i>Paramecium</i>	179
PACKARD, GARY C., PACKARD, MARY J. AND BOARDMAN, THOMAS J. Influence of hydration of the environment on the pattern of nitrogen excretion by embryonic snapping turtles (<i>Chelydra serpentina</i>)	195
RIKMENSPOEL, ROBERT. Movements and active moments of bull sperm flagella as a function of temperature and viscosity	205
FEDER, MARTIN E. AND WASSERSUG, RICHARD J. Aerial <i>versus</i> aquatic oxygen consumption in larvae of the clawed frog, <i>Xenopus laevis</i>	231
BIRCHARD, GEOFFREY F., BLACK, CRAIG P., SCHUETT, GORDON W. AND BLACK, VIRGINIA. Foetal-maternal blood respiratory properties of an ovoviviparous snake the cottonmouth, <i>Agkistrodon piscivorus</i>	247
McCROHAN, C. R. Properties of ventral cerebral neurones involved in the feeding system of the snail, <i>Lymnaea stagnalis</i>	257

	PAGE
THOMAS, M. V. AND MAY, T. E. Active potassium ion transport across the caterpillar midgut. I. Tissue electrical properties and potassium ion transport inhibition . .	273
THOMAS, M. V. AND MAY, T. E. Active potassium ion transport across the caterpillar midgut. II. Intracellular microelectrode studies	293
BREZDEN, B. L. AND GARDNER, D. R. The ionic basis of the resting potentials in a cross-striated muscle of the aquatic snail <i>Lymnaea stagnalis</i>	305
GÖRNER, PETER, MOLLER, PETER AND WEBER, WOLFGANG. Lateral-line input and stimulus localization in the African clawed toad <i>Xenopus</i> sp.	315
SACCHI, V. F., HANOZET, G. M. AND GIORDANA, A. α -Aminoisobutyric acid transport in the midgut of two lepidopteran larvae	329
BRODFUEHRER, PETER D. AND FRIESEN, W. OTTO. A sensory system initiating swimming activity in the medicinal leech	341
GRAHAM, JEFFREY B. AND BAIRD, TROY A. The transition to air breathing in fishes. III. Effects of body size and aquatic hypoxia on the aerial gas exchange of the swamp eel <i>Synbranchus marmoratus</i>	357
PENNYCUICK, C. J. AND REZENDE, MARCIO A. The specific power output of aerobic muscle, related to the power density of mitochondria	377
WELLS, M. J. AND WELLS, J. The effects of reducing gill area on the capacity to regulate oxygen uptake and on metabolic scope in a cephalopod	393
KATZ, U., DEGANI, G. AND GABBAY, S. Acclimation of the euryhaline toad <i>Bufo viridis</i> to hyperosmotic solution (NaCl, urea and mannitol)	403
METCALFE, J. D. AND BUTLER, P. J. Changes in activity and ventilation in response to hypoxia in unrestrained, unoperated dogfish (<i>Scyliorhinus canicula</i> L.) . . .	411
BUTLER, P. J. AND WOAKES, A. J. Heart rate and aerobic metabolism in Humboldt penguins, <i>Spheniscus humboldti</i> , during voluntary dives	419
HIRANO, MICHIO AND ROME, LAWRENCE C. Jumping performance of frogs (<i>Rana pipiens</i>) as a function of muscle temperature.	429
FISHMAN, LENA, PRIMOR, NAFTALI AND ZLOTKIN, ELIAHU. The selective permeability of fleshfly midgut to an orally toxic cobra venom cardiotoxin	441
SHORT COMMUNICATIONS	
INGERMANN, ROLF L, TERWILLIGER, ROBERT C. AND ROBERTS, MICHAEL S. Foetal and adult blood oxygen affinities of the viviparous seaperch, <i>Embiotoca lateralis</i>	453
BENNET-CLARK, H. C. A particle velocity microphone for the song of small insects and other acoustic measurements	459
MIYAN, JALEEL AHMAD. A method for the neurophysiological study of reflexes elicited by natural statocyst stimulation in lobsters	465
LONDON, J. A. AND GILLETTE, R. Rhythmic and bilaterally coordinated motor activity in the isolated brain of <i>Pleurobranchaea</i>	471
NICOLSON, S. W., LOUW, G. N. AND EDNEY, E. B. Use of a ventilated capsule and tritiated water to measure evaporative water losses in a tenebrionid beetle . . .	477